

HEAT TREATMENT

Allen, E. 2000. Efficacy of heat treatment for solid wood packing material. Draft report for the IPPC Expert Working Group on Wood Packing (incl. bibliography), Mexico City, February 2001.

Animal and Plant Health Inspection Service. 1985. Plant protection and quarantine treatment manual. Washington, DC: U.S. Department of Agriculture, Animal and Plant Health Inspection Service: Sec. 6, T 404.

Baker, K.F. 1969. Aerated-steam treatment of seed for disease control. *Horticultural Research* 9:59-73.

Baker, K.F. & Fuller, W.H. 1968. Soil treatment by microwave energy to destroy plant pathogens. *Phytopathology* 59: 193-97.

Brunt, A. K, K. Crabtree, M. Dallwitz, A. Gibbs, & Watson, L. 1996. Viruses of plants: Descriptions and lists from the VIDE database. C.A.B. International, UK. 1484 pp.

Burdette, E.C. 1976. Effects of microwave treatment of Anobiidae infested wood blocks. Atlanta, GA: Georgia Institute of Technology, Engineering Experiment Station.

Cartwright, K. & Findlay, W.P.K. 1958. Decay of timber and its prevention. *Forest Her Majesty's Stationery Ofc.*, 2nd ed. London. 332 pp.

Chen, T.H. 1985. Bamboo mosaic virus associated with a mosaic disease of bamboos in Taiwan. *Plant Protection Bulletin, Taiwan* 27(2): 111-16.

Chidester, M.S. 1937. Temperature necessary to kill fungi in wood. *Proc. American Wood-Preservers' Assoc.* 33: 312-24.

Chidester, M.S. 1939. Further studies on temperatures necessary to kill fungi in wood. *Proc. American Wood-Preservers' Assoc.* 35: 319-24.

Department of Scientific and Industrial Research, Great Britain. 1957. The kiln sterilization of *Lyctus*-infested timber. Leafl. 13. Princes Risborough, UK: Forest Products Research Laboratory. 4pp.

Dwinell, L.D. 1986. Ecology of the pinewood nematode in southern pine chip piles. USDA For. Service, Southeast. For. Expt. Sta. Res. Paper SE-258. 14 pp.

Dwinell, L.D. 1987. Pine wood nematode in southern pine chips exported from Georgia. In Wingfield, M.J., ed. *Pathogenicity of the Pine Wood Nematode*, p. 50-57. St. Paul, MN: APS Press.

Dwinell, L.D. 1990a. Heat-treating and drying southern pine lumber infested with pine wood nematodes. *Forest Prod. J.* 40(11/12): 53-56.

Dwinell, L.D. 1990b. Thermal death point of *Bursaphelenchus xylophilus* in southern pine chips. (Abstract). *Nematologica* 36: 346.

Dwinell, L.D. 1994. Using heat to decontaminate pine chips infested with the pinewood nematode. Ann. Intl. Res. Conf. Methyl Bromide Alternatives and Emissions Reductions, Kissimmee, FL, Nov. 13-16, 1994. p. 96-1,2.

Dwinell, L.D. 1995. Using heat to decontaminate unbarked Virginia pine logs. (Abstract). *Proc. Ann. Meeting Forest Products Society*. Portland, OR, June 1995.

Dwinell, L.D. 1996a. Alternatives to methyl bromide for eradicating pests in exported softwood chip, lumber, and logs. *USDA Methyl Bromide Alternatives Newsletter* 2: 7-8.

Dwinell, L.D. 1996b. Methyl bromide alternatives for decontaminating softwood chips, lumber and logs. Ann. Res. Conf. on Methyl Bromide Alternatives and Emissions Reductions, Orlando, FL, Nov. 4-6, 1996. p. 64-1,3.

Dwinell, L.D. 1996c. Using heat to decontaminate softwood chips, lumber and logs. In, *Importing Wood Products: Pest Risks to Domestic Industries*. Portland, OR, March 4-6, 1996.

Dwinell, L.D. 1997. Pinewood nematode: Regulation and mitigation. *Annual Review of Phytopathology* 35: 153-166.

Dwinell, L.D. 2001. Potential use of heat pasteurization to manage fungi in hardwood lumber. Personal communication on unpublished preliminary results.

Dwinell, L.D. & Carr, W.W. 1991. Using radio waves to eradicate *Bursaphelenchus xylophilus* in southern pine chips. (Abstract). *J. Nematol.* 23:527.

Dwinell, L.D. & Carr, W.W. 1995. Radio waves and steam, alone or in combination, for the eradication of *Bursaphelenchus xylophilus* in southern pine chips. Ann. Intl. Res. Conf. on Methyl Bromide Alternatives and Emissions Reductions, San Diego, CA, Nov. 6-8, 1995. p. 81-1,3.

Dwinell, L.D., Avramidis, S. & Clark, J.E.. 1994. Evaluation of a radio-frequency/vacuum dryer for the eradication of the pine wood nematode in green sawn wood. *Forest Prod. J.* 44: 19-24.

Dwinell, L.D., Magnusson, C. & Tomminen, J. 1994. Evaluation of a Swedish steam-dryer for the eradication of *Bursaphelenchus xylophilus* in pine chips. *EPPO Bulletin* 24: 805-11.

Dwinell, L.D., Chung, Y., Lee, D., & Yi, C. 1995. Heat-treating loblolly pine lumber to eradicate *Bursaphelenchus xylophilus*: verification tests. Ann. Intl. Res. Conf. on Methyl

Bromide Alternatives and Emissions Reductions, San Diego, CA, Nov. 6-8, 1995. p. 80-1,3.

EOLAS, Irish Science and Technology Agency. 1991. The development of treatment schedules to ensure eradication in timber of the pinewood nematode (*Bursaphelenchus xylophilus*) and its insect vectors. Final Report, ELOAS, Glasnevin, Dublin.

Forest Products Research Laboratory. 1957. The kiln sterilization of *Lyctus*-infested timber. Leaflet 13. Dept. Sci. and Ind. Res., For. Prod. Res. Lab., Princes Risborough, UK, 4pp.

French, J.R.R. & Johnstone, R.S. 1968. Heat sterilization of block stacked timber in wood-destroying insect control. *J. Inst. Wood Sci.* 20: 42-46.

Garg, A.P., McCarthy, A.J. & Roberts, J.C. 1996. Biobleaching effect of *Streptomyces thermophilic* xylanase preparations on birchwood kraft pulp. *Enzyme microbial technology* 18: 261-67.

Graham, S.A. 1924. Temperature as a limiting factor in the life of subcortical insects. *J. Econ. Entomol.* 17: 377-83.

Guilmo, S.M.P., Auer, C.G. & Barrichelo, L.E.G. 1999. Effect of thermophilic fungi on wood of Eucalyptus saligna. III. The fungal population. *Boletim-de-Pesquisa-Florestal* 37: 89-95.

Hamid. M.A.K., Kashyap, C.S., & Van Cauwenberghe, R. 1968. Control of grain insects by microwave power. *Journal of Microwave Power* 3(3): 126-27.

Heald, C.M. & Wayland, J.R. 1975. Factors affecting control of *Rotylenchus reniformis* with UHF electromagnetic energy. *J. Nematol.* 7(2): 171-74.

Hightower, N.C., Burdette, E.C. & Burns, C.P. 1974. Investigation of the use of microwave energy for weed seed and wood products insect control. Tech. Rep., Project E-230-901. Atlanta, GA: Georgia Institute of Technology. 53pp.

Hopping, G.R. & Jenkins, J.H. 1933. The effect of kiln temperatures and air-seasoning on ambrosia insects (pinworms). *Can. Dept. Interior For. Serv. Circ.* 38.

Humphreys, C.J. & Siggers, P.V. 1934. Termperature relations of wood-destroying fungi. *J. Agric. Res.* 47: 997-1008.

Jones, T.W. 1973. Killing the oak wilt fungus in logs. *For. Prod. J.* 23(11): 52-54.

Kappenburg, K.W. 1998. Evaluierung alternativer quarantänetechniken zum ersatz von methylbromid bei der behandlung nordamerikanischen eichenholzes. Inauguraldissertation zur erlangung der Doktorwürde. U. Freiburg in Breisgau. 140pp.

- Khristov, A. 1984. Peach violet mosaic. *Gradinarska-I-Lozarska-Nauka* 21(8): 24-30.
- Kinn, D.N. 1986. Heat-treating wood chips: a possible solution to pine wood nematode contamination. *Tappi Journal* 69(1): 97-98.
- Koch, P. 1972a. Utilization of the southern pines. I. The raw material. *USDA Forest Service Agricultural Handbook* No. 420. 733 pp.
- Koch, P. 1972b. Utilization of southern pines. II. Processing. *USDA Forest Service Agricultural Handbook* No. 420. 926 pp.
- Lewis, R., Jr. 1985. Temperature tolerance and survival of Cf in Texas. *Plant Dis.* 69: 443-4.
- Lin, M.T., Kitajima, E.W., Cupertino, F.P., & Costa, C.L. 1977. Partial purification and some properties of bamboo mosaic virus. *Phytopathology* 67(12): 1439-43.
- Lindgren, R.M. 1942. Temperature, moisture and penetration studies of wood staining *Ceratostomellae* in relation to their control. *USDA Tech. Bull.* 807.
- MacLean, J.D. 1930. Studies of heat conduction in wood: results of steaming green round southern pine timbers. *Proc. American Wood-Preservers' Assoc.* 26: 197-217.
- MacLean, J.D. 1932. Studies of heat conduction in wood, part II: results of steaming green sawn southern pine timbers. *Proc. American Wood-Preservers' Assoc.* 28: 303-329.
- Martignoni, M.E. & Iwai, P.J. 1977. Thermal inactivation characteristics of two strains of nucleopolyhedrosis virus (Baculovirus subgroup A) pathogenic for *Orgyia pseudotsugata*. *J. of Invertebrate-Path.* 30(2): 255-62.
- Miric, M. & Willeitner, H. 1984. Lethal temperature for some wood-destroying fungi with respect to eradication by heat treatment. Doc. No. IRG/WP/1229. Inter. Res. Group on Wood Preservation. Stockholm, Sweden. 8 pp.
- Morrell, J.J. 1995. Importation of unprocessed logs into North America: a review of pest mitigation procedures and their efficacy. *Forest Products J.* 45: 41-49.
- Morrell, J.J. 1996. Methods for mitigating the risks associated with unprocessed wood into the United States. Importing Wood Products: Pest Risks to Domestic Industries, Portland, OR, March 4-6, 1996. p.27-32.
- Newbill, M.A. & J.J. Morrell. 1991. Effects of elevated temperatures on the survival of Basidiomycetes that colonize untreated Douglas-fir logs. *Forest Products J.* 41: 31-33.

- Novak, J.B. & Lanzova, J. 1981. Cherry leaf roll virus from walnut (*Juglans regia*) in Czechoslovakia. *Sbornik UVTIZ Ochrana Rostlin* 17(1): 1-8.
- Ostaff, D.P. & Cech, M.Y. 1978. Heat sterilization of spruce-pine-fir lumber containing pine sawyer beetle larvae (Coleoptera: Cerambycid) *Monochamus* sp. Rep. OPX-200E. Canadian Forest Service. Ottawa, ON, Canada. 9 pp.
- Ostaff, D.P. & Shields, J.K. 1978. Reduction of losses to logs and lumber caused by wood-boring insects. Rep. OPX218E. Canadian Forest Service, Eastern Forestry Products Laboratory. Ottawa, ON, Canada. 15pp.
- Parkin, E.A. 1937. The kiln-sterilization of timber infested by *Lyctus* powder-post beetles. *J. Forestry* 11: 32-39.
- Rasmussen, E.P. 1961. Dry kiln operator's manual. *Agric. Handb.* 188. Washington, DC: U.S. Department of Agriculture, Forest Service. 197pp.
- Reddick, B.B., Barnett, O.W., & Baxter, L.W. Jr. 1979. Isolation of cherry leafroll tobacco ringspot, and tomato ringspot viruses from dogwood trees in South Carolina. *Plant disease reporter* 63(7): 529-32.
- Schmelzer, K. 1964. Notes on the mosaic disease of poplar. *Arch. Forstw.* 13(8): 787-98.
- Seehan, G. 1965. Über die wirkung einer trocknung und erwanrmang von nadelholz auf das wachstum von blauepilzen. *Holz Roh u. Werkstoff* 23: 341-47.
- Seifert, K.A. 1993. Sapstain of commercial lumber. In Wingfield, M.J., Seifert, K.A., & Weber, J.F., eds. *Ceratocystis and Ophiostoma, taxonomy, ecology and pathogenicity*. St. Paul, MN: APS Press. 293pp.
- Semeniuk, G. & Carmichael, J.W. 1966. *Sporotrichum thermophile* in North America. *Can. J. Bot.* 44:105-8.
- Smith, R.S. (ed.). The use of heat treatment in the eradication of the pinewood nematode and its vectors in softwood lumber. Report to the Task Force on pasteurization of Softwood Lumber. Forintek Canada Corporation, Vancouver, B.C., Canada. 72 pp.
- Snyder, T.E. 1923. High temperatures as a remedy for *Lyctus* powder-post beetles. *J. Forestry* 21: 810-14.
- Snyder, T.E. & St. George, R.A. 1924. Determination of temperature fatal to the powderpost beetle, *Lyctus planicollis* LeConte, steaming infested ash and oak lumber in a kiln. *J. Agric. Res.* 28(10): 1033-38.
- Srivastava, S.K. & Patel, P.N. 1970. Epidemiology of bacterial leaf spot, blight and shot-hole disease of Neem in Rajasthan. *Indian Phytopathology*, New Dehli 1069(22): 237-44.

Stalpers, J.A. 1978. Identification of wood-inhabiting aphylophorales in pure culture. *Studies in Mycology* 16. 248pp.

Tansey, M.R. 1971. Isolation of thermophilic fungi from self-heated, industrial wood chip piles. *Mycologia*, May/June 1971. 63(3): 537-47.

Thomas, A.M. & White, M.G. 1959. The sterilization of insect infested wood by high frequency heating. *Wood* 24: 407-10ff.

Tomminen, J. & Nuorteva, M. 1992. Pinewood nematode, *Bursaphelenchus xylophilus*, in commercial sapwood and its control by kiln-heating. *Scandinavian Journal of Forest Research* 7: 113-20.

U.S. Environmental Protection Agency. 1996. Heat treatment to control pests on imported timber. Methyl bromide alternative case study, 10 Case Studies, Volume 2. 7
<http://www.epa.gov/spdpublic/mbr/casestudies/index.html>

USDA Animal and Plant Health Protection Service. 1991. An efficacy review of control measures for potential pests of imported Soviet timber. Misc. Publication No. 1496. 28 pp.

USDA Forest Service. 1951. Chemical brown stain in pine. USDA Forest Service, Forest Products Laboratory, Technical Note 254. 3 pp.

USDA Forest Service. 1991. Dry kiln operator's manual. USDA Forest Service, Forest Products Laboratory, *Agriculture Handbook* No. 188. 274 pp.

Wilcox, W.W. 1973. Degradation in relation to wood structure. In D.D. Nicholas, ed. *Wood Deterioration and its Prevention by Preservative Treatments*. Vol. 1, p. 107-48. Syracuse, NY: Syracuse University Press. 380pp.

Zhang, Z.Y., Xu, Z.Y., Chen, K.R., Chen, J.X., & Yang, S.J. 1990. A preliminary study on an isolate of peanut stunt virus from black locust mosaic tree. *Chinese journal of virology* 6(4): 380-82.

Zimmerman, G. & Butin, H. 1973. Untersuchungen ueber Hitzeund Trockenresistenz holzwohnenender Pilz. *Flora(Jena)* 162: 393-419.

METHYL BROMIDE

Anonymous. 1947. Methyl bromide speeds ship fumigation. *Down to earth* 3(3): 10-11.

Animal and Plant Health Inspection Service. 1985. Plant protection and quarantine treatment manual. Washington, DC: U.S. Department of Agriculture, Animal and Plant Health Inspection Service: Sec. 3, pt. 6.

- Harris, E.C. 1963a. Methyl bromide fumigation for wood-boring insects. *International pest control* 5(4): 15-18.
- Harris, E.C. 1963b. Methyl bromide fumigation and wood-boring insects. In, *Proceedings of the annual convention of the British Wood Preservation Association* London [Place of production and publisher unknown.] 17pp.
- Liese, W. & Ruetze, M. 1985. Development of a fumigation treatment of oak logs against *Ceratocystis fagacearum*. *European Plant Protection Organization Bulletin* 15(1): 29-36.
- Michelsen, A. 1964. Diffusion of methyl bromide into pine wood during fumigation against *Hylotrupes bajulus*. *Holzforschung und Holzverwertung* 16: 66-71.
- Munro, H.A.U. 1969a. Manual of fumigation for insect control. Fome: Food and Agriculture Organization of the United Nations: 121.
- Munro, H.A.U. 1969b. Insect pests in cargo ships. Publ. 855. Ottawa, ON: *Agriculture Canada*. 39pp.
- National Pest Control Association. 1972. Good practices in ship fumigation. *Tech. Rel.* 18-72. Vienna, USA: National Pest Control Association. 10pp.
- Ricard, J.L., See, T.E. & Bollen, W.B. 1968. Control of incipient decay with gases in Douglas-fir poles. *Forest Products J.* 18(4): 45-51.
- Slobodnik, M. 1962. Fumigating ships in harbor. *Pest Control* (July): 30-32ff.
- Yu, K.Y., Chung, Y.W., Lee, H.H., & Jae, J.W. 1984. Study on shipboard fumigation of the imported logs. *Korea Journal of Plant Protection* 23(1): 37-41. [In Korean, English summary]